






CP200 4 Zone Quick Start Manual



Quick Start – Windows PC

Note:
This manual's purpose is to explain how to quick start this sample design.
Changes to design will be explained during Technical Webinar and more in- depth manuals.

1. Download Easy Accomplish .exe from Bluesound Pro Web Page.
2. Download Spa Sample folder
3. Connect CP200 (TSO4P) using PoE to same subnet as PC
4. Open Easy Accomplish .exe File (PC only)
5. Open Spa.ea file from folder.




- Search for IP of TSO4P touchscreen
- Select discovered device and “Save”

Now Select UI Design Tab

UI Design

There are 5 pages to the UI Design, Home Page and 4 Control Screen


Double Click on “Home Page” or “control screens to access after selecting UI Design tab.



Page Navigation, Home Page and Control Screens (4)


8 components in this UI Design.

1. Mute ON/OFF
2. Preset Buttons (10)
3. Volume Slider
4. Now Playing Image
5. Zone Indicator
6. Setup Access
7. Page Navigation



Now Select Logical Design Tab



UI Design – IP Setup



1. Enter IP and Port# for each Zone
2. Touch to navigate back to Zone 1
3. Displays IP addresses from Memory
4. Enter Key for IP address entries

Now Select Logical Design Tab


Logical Design (part 1 of 4)



Click on screen and scroll to find design. Once at design click on screen.
Hold CNTRL button on keyboard and using mouse scroll in or out to zoom in or out

Note:
Design is repeated for each control screen for a total of 4.

Logical Design (part 1 of 4)



Click on screen and scroll to find design. Once at design click on screen.
Hold CNTRL button on keyboard and using mouse scroll in or out to zoom in or out

Note:

Design is repeated for each control screen for a total of 4.

1. Save project
2. Upload to CP200.

Ready To Go!!

